



Ideal for Under-Cabinet, Garden Patio and Concealed Accent Lighting Applications



PHOEBE LED



RGB LED Flexi Strip-Light & Accessories

	Code	Description	Wattage	Voltage	Colour	Width	Length Price
	5297	0.5M LED Flexi Strip-Light RGB	3.6W	12V	RGB	10mm	500mm
	5303	1.0M LED Flexi Strip-Light RGB	7.2W	12V	RGB	10mm	1000mm
	5310	2.0M LED Flexi Strip-Light RGB	14.4W	12V	RGB	10mm	2000mm
	5419	LED Flexi Strip-Light RGB Left Bend (Qty 2)	0.72W	12V	RGB	53mm	53mm
	5426	LED Flexi Strip-Light RGB Right Bend (Qty 2)	0.72W	12V	RGB	53mm	53mm
	5518	10cm Flexible Joint RGB (Qty 2)				13.5mm	100mm
	5525	50cm Flexible Joint RGB (Qty 2)				13.5mm	500mm
	5402	Straight Joints				10mm	10mm
and the second s	5389	RGB Driver Kit	72W	240V		53mm	119mm
		Contents: 1x AC power adapter 1x infrared	l remote (control 1	x infrared receiver 1x	powerle	ad with UK plug

Contents: 1x AC power adapter 1x infrared remote control, 1x infrared receiver, 1x power lead with UK plug, 1x 20cm power supply connecting lead, 2x 10cm flexible joints, 5x straight joints

Warm White LED Flexi Strip-Light

		Code	Description	Wattage		Colour			Price
		<mark>53</mark> 27	0.5M LED Flexi Strip-Light WW	3.6W	12V	3000K Warm White	10mm	500mm	
		<mark>5334</mark>	1.0M LED Flexi Strip-Light WW	7.2W	12V	3000K Warm White	10mm	1000mm	
		<mark>534</mark> 1	2.0M LED Flexi Strip-Light WW	14.4W	12V	3000K Warm White	10mm	2000mm	
	<mark>54</mark> 33	LED Flexi Strip-Light WW Left Bend (Qty 2)	0.72W	12V	3000K Warm White	53mm	53mm		
		5792	LED Flexi Strip-Light WW Right Bend (Qty 2)	0.72W	12V	3000K Warm White	53mm	53mm	

Cool White LED Flexi Strip-Light

	Code	Description	Wattage	Voltage	Colour	Width	Length Price
	5358	0.5M LED Flexi Strip-Light CW	3.6W	12V	5500K Cool White	10mm	500mm
	5365	1.0M LED Flexi Strip-Light CW	7.2W	12V	5500K Cool White	10mm	1000mm
	5372	2.0M LED Flexi Strip-Light CW	14.4W	12V	5500K Cool White	10mm	2000mm
	5440	LED Flexi Strip-Light CW Left Bend (Qty 2)	0.72W	12V	5500K Cool White	53mm	53mm
	5808	LED Flexi Strip-Light CW Right Bend (Qty 2)	0.72W	12V	5500K Cool White	53mm	53mm

Warm White/Cool White LED Flexi Strip-Light Accessories

	Code	Description	Wattag	e Voltage	Colour	Width	Length	Price
∐ • u −−−− u • ?	5457	10cm Flexible Joint WW/CW (Qty 2)				13.5mm	500mm	
≝ • u − − u · ≥	5464	50cm Flexible Joint WW/CW (Qty 2)				13.5mm	500mm	
	5402	Straight Joints				10mm	10mm	
B B B B B B B B B B B B B B B B B B B	5396	WW/CW Driver Kit	72W	240V		53mm	119mm	
a the second sec		Contents: 1x AC power adapter 1x power 2x 10cm flexible joints, 5x straigh	lead with it joints.	n UK plug,	1x 20cm power supp	ly connec	ting lead,	

Lighting brilliance since 1878

140 Years



LED Flexi Strip-Light 5 Metre Kit

Code	Description	Wattag	e Voltage	Colour	Width	Length	Price
6386	5M LED Flexi Strip-Light RGB	30W	12V	RGB	10mm	5000mm	
	Contents: 1x 5M LED Flexi Strip-Light RGB, 1.5m connecting lead, 1x infrar 2x 15cm flexible joints with clam	Ix AC por ed remote up to both	wer adap e control, ends	oter with integrated Ut 1x infrared receiver,	(plug and		
6362	5M LED Flexi Strip-Light WW	30W	12V	3000K Warm White	10mm	5000mm	
	Contents: 1x 5M LED Flexi Strip-Light WW, 1.5m connecting lead, 2x 15cm	x AC pov i flexible jo	wer adap bints with o	ter with integrated UK clamp to both ends	Cplug and		
 6379	5M LED Flexi Strip-Light CW	30W	12V	5500K Cool White	10mm	5000mm	
	Contents: 1x 5M LED Flexi Strip-Light CW, 1 1.5m connecting lead, 2x 15cm	x AC pov I flexible jo	ver adap pints with	ter with integrated UK clamp to both ends	plug and		

LED Flexi Strip-Light 5 Metre Kit Accessories

	Code	Description	Price
- m - m - m	7604	Accessory Pack For 5m Strip Kit RGB	
n		For re-using/connecting cut-off lengths of 5M LED Flexi Strip-Light RGB (6386) Requires RGB Driver Kit (5389) Contents: 1x 15cm power connector with clamp, 2x 15cm flexible joints with clamps to both ends	
	7611	Accessory Pack For 5m Strip Kit CW/WW For re-using/connecting cut-off lengths of 5M LED Flexi Strip-Light WW/CW (6362/6379) Requires RGB Driver Kit (5396) Contents: 1x 15cm power connector with clamp, 2x 15cm flexible joints with clamps to both ends	
		Lighting brilliance since 1878	