




## Filamento LED Highbay




High powered energy efficient integrated LED Highbay light. Available with GES-E40 cap or wire direct hook fixing.

- Extreme efficiency LED high bay 133lm/W
- Low glare output, <3% alare at 50-90°
- Dimmable DuoDim™ technology compatable with both leading and trailing edge dimmers\*
- Wire direct or compatible with existing electrical and magnetic ballasts, including probe start, push start, CWA and reactive\*\*
- Thuflow<sup>™</sup> heatsink, fanless design for efficiency and reliability up to 50°C ambient operating temperature
- · Fixed safety harness
- 50,000 hour life, maintenance free
- 100,000 switching cycles
- 50° beam angle
- 5000K daylight colour
- Instant full liaht

Product Code	Cap/Fixing	Watts (W)	Volts (V)	Colour Appearance	Colour Temp (K)	Useful Lumens (Im)	Total Lumens (Im)	Beam Angle	Dimei (m Dia	nsions m) H	Order Qty
Single Carton											
11250	GES-E40	150	240	Daylight	5000	19,100	20,000	50°	262	286	1
11267	HOOK	150	240	Daylight	5000	19,100	20,000	50°	262	352	1





\*Compatable with most dimmer switches, please refer to www.phoebeled.com for up-to-date list of compatable dimmer switches.

\*\*Works with the majority of ballasts. Crompton Lamps reccomends the luminaire is wired direct to mains for the greatest efficiency saving.



CROMPTON LAMPS













Phoebe LED<sup>TM</sup> is a trading name of Crompton Lamps Limited
Crompton Lamps Limited registered in England and Wales No. 05590551
Registered office and correspondence address: Unit 2, Marrtree Business Park, Bowling Back Lane, Bradford BD4 8QE